

68 +
CATALOGUE

OF

**FRUIT & ORNAMENTAL TREES,
Flowering Shrubs,**

**GARDEN SEEDS AND GREEN-HOUSE PLANTS,
BULBOUS ROOTS & FLOWER SEEDS,**

CULTIVATED AND FOR SALE AT THE

TORONTO NURSERY.

Dundas Street, near York,

BY

WILLIAM W. CUSTEAD.

YORK:

Printed by William Lyon Mackenzie, Printer to the House of Assembly.

1827.

741

Agents for receiving orders.



- MR. JESSE KETCHUM.....*York.*
- MR. BENJAMIN BARNARD.....*Richmond Hill.*
- MR. GEORGE LOUNT.....*Gwillimbury.*
- MR. STEVENS.....*Esquesing.*
- MESSRS. LESSLIE & SONS.....*Dundas.*
- MR. JAMES CRYSLER, (Merchant) *Niagara.*
- MR. WYNN.....*Queenston.*
- MR. JONES.....*Near Cobourg.*
- MR. JOHN SMITH.....*Fort Hope.*
- MR.*Guelph.*
- MR. ABRAHAM ERB.....*Waterloo.*
- MR. CHARLES INGORSOLL.....*Oxford.*
- MR. LEMING.....*Lewiston.*

PREFATORY REMARKS.

THIS establishment was commenced in 1811 by the proprietor's raising a few trees for his own use, and would perhaps never have been thought of, had there not been such a difficulty in obtaining good kinds by purchase.

Finding his efforts crowned with success and the business delightful, he resolved to extend his nursery, and devote the most part of his time to it, not only from a consideration of the pleasure and advantage he might himself derive, but also from a desire of placing the bountiful gifts of nature within the reach of his friends and neighbours.

It will be seen by the catalogue, that my greatest attention has hitherto been paid to apple trees, because I considered the apple the most congenial fruit to this climate, and the most useful in new countries: there is now in the nursery nearly 20,000 apple trees, the greater part of which are grafted or inoculated with the best and most approved European and American kinds, and are from one to seven years old, and from one to nine feet high. Gentlemen by calling at the nursery can select for themselves---no difference is made in price on account of age or size.

The nursery business is attended with difficulties and disappointments which ought carefully to be guarded against; mistakes are often made in the proper names of trees, plants &c. by the ignorant and careless, to the great mortification of the purchaser. I have been disappointed in this way myself, but the public may rest assured that the greatest care will be taken to prevent such disagreeable occurrences in this establishment, all the business is done by my own hands and I will be accountable for all mistakes of my own making, but there is one cause of disappointment with which the nursery-man has nothing to do, and for which he is often unjustly blamed. A person gets a fine apple and enquires its name---a wrong one is given, he sends to the nursery and gets trees by this wrong name---after

careful culture the fruit appears, and is not what he expected : to prevent disappointments of this kind a person should be very certain that he has got the proper name of his favourite fruit, before he orders trees from the nursery.

From many experiments I am fully persuaded that the fall is the best time for transplanting fruit trees---the work may be performed any time from the middle of October until the ground freezes.

Transplanting in the spring often succeeds well also, and may be begun as soon as the frost is out of the ground, which often happens before the snow is quite gone, by which means persons in the new settlements have an opportunity of bringing out produce and returning with fruit trees, before the roads break up : spring planting may be continued to the first of May. Produce delivered at the nursery, will be taken from the new settler for trees &c. at cash prices.

The best season for removing bulbous flower roots is from July to October inclusive.

Greenhouse plants may be removed at any time when the weather is warm.

When fruit trees &c. are ordered from a distance they will be carefully packed in boxes or matts so as to arrive safe in any part of the Canadas or the adjoining states ; in this case a small additional charge will be made for package.

Every thing in my line will be delivered at York free of carriage, and every kind kept by itself, tied together, and labelled.

Scions of fruit trees for grafting packed in the most secure and portable manner at two shillings per dozen, no less than half that number can be furnished of any one kind. The prices will in no case exceed those of the nurseries at New York, and in general will be found one third less.

The proprietor has appointed agents through the country, of whom catalogues may be had, and by whom orders will be received and forwarded, it is expected that gentlemen at a distance sending orders otherwise than through an agent, will name some person in York who will be responsible for the payment.

Purchasers residing in York or its vicinity or within the same distance of the nursery in any other direction, may have trees planted and insured for a limited time, on such terms as may be agreed upon, taking into consideration the number of trees wanted and the distance from the nursery.

An allowance equal to ten per cent will be made to those who purchase by the quantity at the nursery.

Very considerable additions have been lately made to this establishment by importations from some of the foremost nurseries and seed shops in the United States and in England, and it is intended that neither pains nor cost shall be spared in making annual additions of such trees, shrubs, plants &c. either ornamental or useful as may best agree with our climate.

The proprietor embraces with pleasure the present opportunity of returning his thanks to those gentlemen who have fostered his establishment by presents of plants, seeds, &c. which perhaps he could not otherwise have obtained: to his customers he is grateful for former favours, and hopes to render his nursery still more worthy of *public patronage*.

WILLIAM W. CUSTEAD.

DIRECTIONS FOR PLANTING FRUIT TREES.

In planting out trees, let the hole be dug sufficiently large to admit the roots in their natural position; particular attention should be paid, that all the wounded parts of the roots are cut off; if a hard marly soil, it would be advisable to have the hole much larger than is required to receive the roots. Then fill in good earth from the surface up to the proper height. Before introducing the tree especially if tall it is advisable to drive down a stake, placing the tree close to it on the north east side to which let the tree be securely tied after planting. Care must be observed not to plant the trees too deep; the upper roots when planted, should have about three inches of earth over them, which will generally make it about two inches deeper than it stood in the nursery. Fill in the hole with rich mould, and if required, some well rotted manure. After covering the roots, shake the tree, that the earth may be admitted among all the small roots; then fill up, treading round the tree, leaving a basin round it to conduct the water to the roots. In dry seasons, watering will be of service: the head of the tree should be cut off in proportion to the size, say one third though not until May. Much of their doing well depends upon attending to this.

I would recommend to those planting out young trees, to keep the ground cultivated for a few years in succession. From observation, I have found that trees thrive much better in cultivated ground, than if planted in grass or uncultivated: a few

years, say four or five, of cultivation, will richly pay the planter, as the trees in that time will generally get in a thrifty growing state: after which they will only require ordinary care.--- Experience has proved the utility of soft soap to trees, and I highly recommend the washing of the bodies and branches, as high as can be conveniently got at, of all sorts of fruit trees.--- The soap may be diluted with water, to the consistency of thick paint, and applied with a brush. The effect is very evident, making the bark smooth and pliable, trees thrifty, destroying any small insects that may be feeding on the sap, to which the apple and the pear tree are particularly subject.

DIRECTIONS TO PRESERVE PEACH TREES IN A HEALTHY STATE.

Let every tree which has been known to produce its fruit prematurely, be immediately removed; and if it is desired to have a peach tree planted in the same place where a diseased tree has been removed from, let a large hole be dug, so as to remove all the roots, that the roots of the new planted tree may not, in one season, come in contact with them. But new ground is to be taken, in preference to that on which peach trees have been. Let the greatest attention in summer, be paid to the ripening of the fruit, and where fruit is found to ripen two, three or four weeks before the usual time, you may conclude that the tree has taken the infection; and as it gives you notice one whole season previous to its power of spreading the contagion, you can, by removing it, prevent its injuring the other trees; or if the tree has taken the infection when in blossom, and has lost its fruit before it ripened, it will show that it has become diseased, by pushing out small slender shoots, and frequently in bunches of a pale yellow colour, from the body and branches; and by observing the same appearance on those trees that have ripened their fruit prematurely, you will soon be able to distinguish the trees that are diseased, from those which are in a healthy state, and by removing them before they blossom, prevent their spreading the infected farina.

Ashes and lime, a small quantity placed as near the trunk of the tree as possible, have been used with good effect, in preventing and destroying the worms at the roots of peach trees. Tobacco leaves and stems, put round the trunks of peach trees

at the roots, have also been found beneficial in destroying the worms, as well as preventing their getting in the trees.

To have thrifty peach trees, and fine fruit, the ground should every year be kept cultivated, by planting it with corn, potatoes, or other vegetables, and every autumn or spring, have some rotten manure dug in round the trees. Peach trees remaining more than one year in grass or sod ground, become unthrifty and yellow, it is therefore easier to distinguish the diseased from healthy, in cultivated ground.

N. B. To those that order fruit trees &c. who are not acquainted with the different sorts of fruits by name, I would recommend that their orders specify the number of the different species of trees wanted, and leave the selection to me, as in all such cases I should feel myself bound to send none but what I know to be of approved sorts, and that ripen in succession, or as may be requested.

TREES IN A

duce its fruit
is desired to
re a diseased
lug, so as to
planted tree
n. But new
which peach
mer, he paid
and to ripen
ou may con-
it gives you
spreading the
uring the oth-
n in blossom,
w that it has
oots, and fre-
ne body and
nce on those
ou will soon
, from those
n before they
na.

r the trunk of
t, in prevent-
n trees. To-
f peach trees

CATALOGUE.

APPLE TREES,

1s. 3d. each except otherwise marked.

No.	when ripe.	No.	when ripe.
1 Yellow Harvest--	July & Aug.	27 Proud Pippin,	do.
2 Small Early,	do.	The fruit of the 2 last will keep	
3* Early Red Streak,	do.	from Oct. to Jany.	
4 Coult's Early,	do.	28 Land's Fine Yellow,	Oct.
5* Juneting,	do.	29 Small's Russet,	do.
6 Early Sweet Bough,	do.	30 Winter Codlin, large,	do.
7 Sweet Pippin,	Sept.	31 Black Vandevere, fine flavor	
8 Gaitzor, very soft and a		32* English Crab,	Oct.
great bearer,	do.	33* Wine Apple,	do.
9 English Codlin,	Oct.	The last 6 will keep from Oct.	
10 Yellow Pippin, very fine		to February,	
cooking apple,	do.	34† Seedless Pippin,	Oct.
11 None Such,	do.	35 Red Streak Vandevere,	do.
12 Summer Sweeting, large &		36† Hertfordshire Red Streak,	
fine,	do.	37† Seek no Further,	do.
13* Mammoth Apple,	do.	38† Harrison's Apple	do.
14* Lemon or Orange Pippin	do.	39† Bell Flower,	do.
15* Large fair soft & white,	do.	Last 6 will keep from Oct. to	
16* Large Green Streaked,	do.	March.	
17* Large Green Sweet,	do.	40 Ribston's Stone Pippin,	Oct.
[15, 16 & 17 are very fine fruits		41 King Apple,	do.
from Mr. Cooper's famous		42 May Bloom,	do.
Orchard, not having the proper		43 Queen's Apple,	do.
names at present I have		44 Nonpareil,	do.
given this description.]		45 Davenport Gooseberry,	do.
18 Large Fall Pippin,	Oct.	Last 6 will keep from Oct. to	
19 Farmer's Profit,	do.	April.	
20 Spitzenburgh Yellow,	do.	46† English Pearmain,	do.
21 Holland Pippin,	do.	47 Bambo or Romanites, very	
22* Rose Apple,	do.	fine,	do.
23* Russet, large and fine,	do.	48 Spitzenburgh Red,	do.
24 White Russet,	do.	49 Barussau's Apple from L. C.	
25 McKay's Apple, fine,	do.	50 Winter Pearmain,	Oct.
26 Snow Apple,	do.	51 Red Pippin,	do.

do.

M. signifies melting pears.
B. baking do.

No. when ripe.
6 Ox Heart, do.

PLUMS.

At 2s. each except otherwise marked.

No.	when ripe.
1*Early Scarlet or Myrobolans S.	July.
2 Yellow Gage S.	August.
3*Purple Gage S.	do. & Sept.
4*New Green, or Flushing Gage L. & S.	3s. 9d. do.
5 Red Orleans L.	do.
6 Little Black Denmark S.	do.
7*Bolmar's Washington, L. & S.	3s. 9. Sept.
8*Smith's Orleans L. & S.	do.
9*Drap's D'or, or cloth of Gold S.	do.
10 Yellow Egg or White Magnum Bonum L.	do.
11*Cooke's Large, double the size of the Egg Plum,	do.
12*Fotheringham,	do.
13 St. Catharine,	do.
14*Cooper's Large Red,	do.
15 Large Blue,	do.
16*Green Gage S.	do.
17 Red Magnum Bonum L.	do.
L signifies large.	
S superior flavour.	
L & S large size and superior flavour.	

CHERRIES.

2s. 6d. each except otherwise marked.

1 May Duke,	June.
2. White Heart,	do.
3 Black Heart,	do.
4 Carnation,	do.
5 Kentish,	1s. 3d. do.

PEACHES.

1s. 3d. each.

1 Red Rare Ripe,	August.
2 White Rare Ripe,	do.
3 Yellow or Red Cheek Malagatune,	do.
4 Columbia,	do.
5 Old Newington, cling	do.
6 Noblesse,	[stone. do.
7 Lemon Peach,	do.
8 York Toland	do.
9 Orange, cling stone.	do.

NECTARINES.

1s. 3d. each.

1 Early Yellow,	Sept.
2 Temple,	do.
I would recommend that Peaches and Nectarines be planted in a dry and sheltered situation, and by no means in a rich soil---My Peaches and Nectarines will not be fit for transplanting until the fall of 1828.	

GRAPES.

1†Early White,	price 1s. 9d.
2†Boston Sweet Water,	do.
3 Bland's Virginia,	do.
4†Isabella Grape,	do.
5 White's Sweet Water,	1s. 3d.
6 Jersey Grape,	do.
7†Black Frontenac,	1s. 9d.
8 French Chocolate,	2s. 6d.
Grapes require an open sunny situation and some protection in the winter.	

CURRANTS.

1s. each except otherwise

when ripe.
do.

ES.
ach.
August.
ipe, do.
d Cheek

do.
do.
n, cling do.
[stone. do.
do.
do.
stone. do.

INES.
ach.
Sept.
do.
commend that
ectarines be
and sheltered
no means in a
ches and Nec-
fit for trans-
fall of 1928.

ES.
price 1s. 3d.
Water, do.
ia, do.
do.
Water, 1s. 3d.
do.

ac, 1s. 3d.
late, 2s. 6d.
n open sunny
ome protecti-

r.

NTS.
t otherwise

marked.

- 1 Red,
- 2 White,
- 3 Black,
- 4† Large Dutch Red, 1s. 3d.
- 5† do. White, do.
- 6† Large Champagne Red, do.
- 7† Lewis' Fragrant, 2s.

GOOSEBERRIES.

1s. each.

- 1 Smooth Green, green.
 - 2 Rough Green, do.
 - 3 Green Gascoign, do.
 - 4 Reed's Satisfaction, do.
 - 5 Large Amber, Red,
 - 6 Royal Oak, do.
 - 7 Farmers' Glory, do.
 - 8 Rambulon, do.
 - 9 Ironmonger, do.
 - 10 Golden Globe, Yellow.
 - 11 Hercules, do.
 - 12 Livingstone, Large White.
- Gooseberries require a deep rich soil and regular pruning.

RASPBERRIES.

- 1 English White, price 7½d
 - 2 English Red, 6d
 - 3 Large White Antwerp, 1s.
- each or 7s 6d. per dozen.

STRAWBERRIES.

- 1 Hautboy, price 1s. per doz.
- 2† Large Hudson, do. do. do.
- 3† Alpin Monthly, 2s. per doz.

ORNAMENTAL TREES.

1s. each.

- 1 Lombardy Poplar,
- 2 Yellow or Ship Locust,
- 3 Black Walnut,
- 4 Honey Locust or 3 thorned

Acacia,
5 Glutinous Acacia or Italian
Locust,

- 6 American Chesnut,
- 7 Horse Chesnut,
- 8 New England Walnut, or
Hickory,
- 9 Mountain Sole,
- 10 Yellow Willow,
- 11 Sleeping Willow, 1s. 3d.
- 12 Catalpha, do.

FLOWERING SHRUBS.

1s. each.

- 1 European Syringa,
 - 2 Hypericum Frutex.
 - 3 Snowy Medlar,
 - 4 English Linden,
 - 5 Large Cole Nut,
 - 6 English Filbert—these last
two are good and produc-
tive Nuts,
 - 7 Cranberry Tree or Moun-
tain Viburnum,
 - 8 Candleberry Myrtle,
 - 9† Red double flowering Al-
thea Frutex, 1s. 3d.
 - 10† Single Red do. 1s.
 - 11† Single White do. do.
 - 12 Snow Ball or Gilder Rose,
1s. 3d.
 - 13 Purple Lilac, 1s.
 - 14 White do. do.
 - 15† Purple Persian Lilac, 2s.
 - 16 Brown Flowering Caly-
canthus, do.
 - 17 Calycanthus or sweet scen-
ted shrub, 1s. 3d.
 - 18† English Passion Flower, 2s.
 - 19 Bladder Sena, 1s.
 - 20† Mezerion, do.
 - 21† Clethra, do.
- Barberry,

- | | | | |
|--|---------|-------------------------------------|-----|
| 22 Strawberry Tree, | 1s. | Italian Spiderwort | |
| 23 Scarlet trumpet flower-
ing Creeper, | do. | Purple Fox Glove, | |
| 24 Laburnam, | do. | White Fox Glove, | |
| 25 Red berried spindle tree | do. | Tarragon, | |
| 26 Pyracantha or Ever
Green Thorn, | do. | Chamomile, | |
| 27†Double flowering Al-
mond | do. | Rose Campion, | |
| 28 Venitian Sumack | 1s. 3d. | Black Antwerp Holyhock, | |
| 29†European Hawthorn, | do. | Double Yellow, | do. |
| 30†St. John's Wort, | 1s. | Double Chinese, | do. |
| 31 French Tamarisk, | do. | Snap Dragon, | |
| 32 Southern Wood, | do. | Double Columbine, 5 varie-
ties, | |
| 33 English Nightshade, | do. | Caledonian Thistle. | |
| 34 Periwinkle or ever Green
Myrtle, | do. | Blue Canterbury bell purple. | |
| 35 Rose Acacia, | do. | White do. | do. |
| 36 New Jersey Tea. | 2s. | Ribband Grass. | |
| | | Wall Flower. | |
| | | †Sweet scented Virgin's Bow-
er, | 2s. |

HONEYSUCKLES.

- | | | | | |
|--------------------------|--|---|-----|-----|
| Early sweet Italian, | | †Virginian, | do. | 1s. |
| English White, | | †Traveller's Joy, | | 2s. |
| Scarlet Monthly Trumpet, | | †Dahlies from 2s. to 5s. | | |
| English Woodbine, | | Pinks, Fine, Double, Various
Colours | 1s. | |
| Striped Monthly, | | Broad Leaved, | | |
| Variegated leaved. | | Pheasant eyed, | | |
| | | Chinese, | | |
| | | †Clove, | | |
| | | †French Honeysuckle, | | |
| | | Sweet Rocket, | | |
| | | Moss Pink, | | |
| | | Everlasting Pea, | | |
| | | Scarlet Lychnis, | | |
| | | †Scarlet Cardinal Flower, | | |
| | | Blackberry Lily, | | |
| | | Iris, or Flower De Luce, | | |
| | | large Purple German. | | |
| | | — Dwarf Purple, | | |
| | | Polyanthus, many varieties, | | |
| | | 1 shilling, | | |
| | | Cowslip, | | |
| | | English Daisy, | | |
| | | †English Primrose, | | |

BIENNIALS & PERRENNIALS.

Ornamental and useful.

Price 7½d each, except
otherwise marked.

- | | |
|------------------------------------|-----|
| Double crimson Peony, | |
| Tart Rhubarb, | 2s. |
| †Turkey Rhubarb, | do. |
| Leeks, | |
| Shallots & Scives, | |
| Hops, | |
| Sage, | |
| Wormwood, | |
| Hysop. | |
| Purple Perrennial Convolv-
lus, | |
| Dyers' Madder, | |

† White Sophora, 1s.
 † Blue do. do.
 White Broom,
 Yellow do.

RUE.

Asparagus, 5s. per hundred,
 Capus Spurge,
 Crimson Menardi,
 Maryland Cassa.

ROSES.

† Moss Rose, 5s.
 † Rosa Multifloræ or Gar-
 land, 2s.
 Thornless, 1s. 3d.
 Burgundy, 1s.
 Double Velvet, 1s. 6d.
 Red Damask, do.
 Copper Coloured, do.
 Cabbage Rose, do.
 † Rosa Mundi varigated, 1s. 3s.
 † Hundred Leaved, do.
 Large Provence, 2s.
 Rose of Sharon, 3s. 9d.
 White Monthly, 1s.
 Crimson Dwarf, do.
 Maidens' Blush, do.
 Portland Rose, 1s. 3d.
 Large Crimson, do.
 † Mottled Rose, do.
 † Michigan Rose, do.
 Single White do. do.
 Double do. do. do.
 Sweet Briar, do. 1s.

BULBOUS ROOTS.**TULIPS.**

Briggette---Bizarre. 1s. 3d.
 Queen of England---
 Rosy and White, 4s.
 Duke of Richmond---
 Bizarre, 1s. 3d.

Chailon New---Bizarre, 1s. 3d.
 Perfecta---Parrot, 2s.
 Yellow Crown, 1s. 9d.
 Pain d'Epice, 1s. 3d.
 Dw Van Toll---dble. do.
 Duc de Boufflers' Bibloem, do.
 Prince Kaiel---dble. 2s.

Queen of the Moors---Bib : 2/6
 Violette ma favorite 3s.
 Grand Tamerlane---Bib : 1/3
 Prosperine---dble. 2s.
 Blanc Corde bleu---dble. 1/3
 Courone d' Or---dble. do.
 Rose Agatha, 4s.
 Duc d'Holstien, early. 1s. 3d.
 Adml. Kingsbergin---dble. 2s.
 Yellow Rose---dble. 1s. 3d.
 Claremond---early do.
 Prince Maurity---Bib : do.
 Grand Alexander---dble. 1/3
 Tucarnate grisdelin---dble. 1/3
 La Fidelle---dble. 1s. 3d.
 This assortment of Fine Tu-
 lips in 25 varieties may be
 had for 40s. being less than
 the N. York prices for the
 same.

HYACINTHS.

Passe tout blue. 1s. 3d.
 Prince Henri de Prussia blue 2s.
 La Rosse Blue, 1s. 9d.
 Duc de Berri Yellow, do.
 Phoenix Red, do.
 La Fidelle Red, 1s. 6d.
 Rose Sarre Red,
 Rose Surpassant Pink, 1s. 3d.
 Nannette White, 1s. 9d.
 Prince Wm. Frederick, white 5s.
 Don Gratuit, white. 1s. 9d.
 Belle ferme, do. do.
 This assortment of 12 double
 hyacinths may be had for 20s.
 being less than the New York

prices for the same.

NARCISSUS.

Double Narcissus--daffodil, 7½d.
do. Orange Phoenix, do.
do. Albo pleno oderato, do.

LILIES.

White Lily, 7½d.
Yellow day Lily, 1s.
Sword Lily, 7½d.
Lily of the Valley, 7½d.
† Martigon or Turk's cap, 1s.
Jonquils, from 7½d. to 1s.
† Amaryllis in sorts, do. do.
† Ranunculies in sorts, 1s.
† Anemonies in sorts, do.
Tube Roses double, 7½d.

GREENHOUSE PLANTS.

China ever blooming roses,
several varieties price 2/6 each.
American Century Aloe, some
varieties, price 3s.

Coloured Indian Fig, 3s. 9d.
Indian Fig, 3s. 9d.
Creeping Cereus, 3s. 9d.
Silver leaved Wormwood, 3/9
Rosemary, 2s.
Chinese Chrysanthemum, 2/6
Carnations several varieties, 2s.
to 3s. 9d.

Stock Jilly-flowers 6 varieties,
2s. each.

Wall Flower, 2s.
Scarlet & Blush Horse Shoe
Geraniums, 2s. each.
Silver edged, do. 3s. 9d.
Rose scented, do. 2s.
Strawberry leaved, do. 2s.
Sweet scented, do. 2s.
Oak Leaved Geranium, 2s.
Jerusalem Cherry, 2s.

Multiflora Rose, 2s. 6d.
Chinese Changeable
Hydrangea, 2s. 6d.

† Guernsey Lily,
† Broad leaved Myrtle,
† Box do. do.

All of which will thrive in a
comfortable sitting room du-
ring winter, they are in ei-
ther Pots or Boxes, and the
prices are inclusive.

SEEDS OF ESCULENT VEGETA- BLES, & plants in their season.

CABBAGE, Early York,
" do. Heart shaped.

" Savory,
" Drumhead,
" Red Dutch,

CELERY, White Solid,
" Rose Coloured.

PARSNIPS, Hollow Crowned,

CARROTS, Early Horn,
" Long Orange,

" Blood Red,
BEETS, Blood Red,

" White or scarcity,

TURNIPS, Common Field,
" Swedish or Rutabaga.

" French.

ONIONS, Red,

" White,

" Top or Tree,

LEEEKS, London.

BEANS, Early Mohawk, } Dwarf.

" do. Six Week, }

" do. Dunn, }

" do. Chince, }

BEANS—Pale white or cream
coloured,

Purple Cranberry,

Scarlet Runners,

White Dutch do.

2s. 6d.
 eable
 2s. 6d.
 yrtle,
 lo.
 thrive in a
 ing room du-
 ey are in ei-
 xes, and the
 ive.
 NT VEGETA-
 their season.
 York,
 heart shaped.
 ead,
 utch,
 Solid,
 Coloured,
 v Crowned,
 Horn,
 Orange,
 Red,
 Red,
 or scarcity,
 on Field,
 or Rutabaga.
 Tree,
 Mohawk, }
 Six Week, }
 Dunn, }
 Chince, }
 white or cream
 red,
 ranberry,
 unners,
 utch do.

Dwarfs.

BEANS—Asparagus or yrd long
 Brussels sprouts,
 Asparagus
PEAS—Early Frame,
 do. Hotspur,
 Dwarf Green,
 Prussian Blue,
 Dwarf Prolific, or Strawberry,
 Knight tall Marrow, or
 Honey pea, extra fine
 Tall Grey Sugar,
 Dwarf Sugar or White,
PARSLEY—Curled or double,
 Hamburgh or large rooted,
 Nasturtium, a fine pickle,
 Egg Plant, Purple,
 do. do. White,
 Mustard White or English.
 Cress or Pepper Grass,
 Salsify or Vegetable Oyster,
PEPPER—Long or Cayenne,
 Tanatoo Shaped,
 Cherry Shaped,
SPINAGE—Prickly or Fall,
 Round leaved,
 Sorrel English or Garden,
SQUASH—Early Bush,
 do. Crook Neck,
 Large Green do.
 Tomatoe or Love Apple.
LETTUCE—Early,
 Long leaved or Cabbage,
 Ice Coos,
 Brown Dutch,
 Grand Admiral.
CUCUMBERS, Early Frame,
 " Long Prickly,
 " Short "
 " Serpentine,
MELONS, Pine Apple,
 " Nutmeg,
 " Paradise,
 " Green Citron,

MELONS, Burnet,
POTATOES, English White,
 " Some other choice
 varieties,
 Indian Corn & Grass Seeds.
RADISH, Short topt scarlet.
 " Black fall.

POT & SWEET HERB SEEDS.

Carraway,
 Marygold,
 Sweet Basil,
 Sweet Marjorum,
 Anise,
 Common Sage,
 Red Sage,
 Summer Savory,
 Thyme,
 Lemon Thyme,
 Nutmeg, good substitute for
 spice,
 Tarragon.

MEDICINAL HERB SEEDS.

Marsh Mallows,
 Sweet Fennel,
 Dill,
 Saffron,
 Coriander,
 Purple Fox Glove,
 Moldavian, or Lemon Balm.
 Hyssop.
 Elecampane,
 Dyers' Wood,
 Lovage,
 Horehound,
 Balm,
 White Official Poppy,
 Palma Christi,
 Rue,
 Virginian Speedwell,

Bene,
Comfrey.

ANNUAL FLOWER SEEDS.

Flos Adones,
Princes' Feather,
China Aster, White,
" " Purple,
" " Blush or Rose,
" " Red striped,
" " Purple striped,
" " Red,
" " Mixed all colors,
Sweet Sultan Purple,
" " White,
Cock's Comb Red,
" " Yellow,
" " Crimson velvet,
Chrysanthemum White,
" " Yellow,
Job's Tears,
Convolvulus Minor, White,
" " Pale Red,
" " Major, Purple,
" " Pink,
" " White,
" Blue & White striped,

Lark's Spur, large Purple,
Hyacinth Bean, Purple,
Horn Poppy,
Globe Amaranthus, Purple,
Balsamine, Fine double,
Cyprus Vine,
Sweet Peas,
Broboscis Flower,
Caterpillar's Flower,
Snail Flower,
Ice Plant,
Sensitive Plant,
Marvel of Peru,
Scarlet Flowering, Havana
Tobacco.
Love in a Mist,
Evening Primrose,
Carnation Poppy,
Scarlet Flowering Bean,
Red Persicaria,
Sweet scented Trefoil,
African Marygold,
" " Orange
Quilled.
Heart's Ease,
Mexican Ximensia,

Trees and Plants marked * † ‡ throughout this Catalogue,
will not be a proper size for transplanting until the Autumn of
1828.

FINIS.

Mackenzie printer

APPENDIX.

The following BULBOUS ROOTS and PLANTS are ordered from New York, and will be for sale as soon as they can be increased.

CROWN IMPERIALS.

Chapeau de Prince, yellow

1s. 3d.

Crown upon Crown, red

1s. 9d.

Sang de boeuf,

1s. 3d.

Yellow Striped,

2s. 6d.

Pileus Cardinal's, crim-

1s. 6d.

son,

TURK'S CAP LILIES.

Caligula Scarlet,

1s. 6d.

Crown of Tunis, purple,

1s. 3d.

Crown of Jerusalem,

2s.

Grand Duke, yellow,

1s. 6d.

King of Prussia,

1s. 3d.

AMARYLLIS.

Jacobean Lily,

1s. 10d.

Guernsey,

2s. 6d.

Atamasco,

1s. 3d.

Yellow flowering,

1s. 3d.

JONQUILS.

Double Fragrant,

1s.

Large Single.

7d.

Small Fragrant.

7d.

RANUNCULUS.

Orange,

1s.

Bright Crimson,

do.

Bright red and pink,

do.

Yellow,

do.

Yellow striped,

1s.

Black,

do.

Scarlet Turban.

do.

ANEMONES.

Double rosy & crimsoned,

1s.

red and pink,

do.

dark blue,

do.

white,

do.

scarlet.

1s. 3d.

CROCUSES.

Cloth of Gold,

6d.

Garland,

do.

Large white,

do.

yellow,

do.

blue,

do.

pink,

do.

Slisfaction.

ROSES.

York and Lancaster,

3s. 9d.

Pearl of the East,

do.

Striped Monthly,

do.

Great Mogul,

7s. 6d.

Bromley Rose,

2s. 6d.

Rose de Pomponne,

3s. 9d.

King of Rome,

9s.

Frankfort,

2s.

Unique white Provence,

7s. 6d.

To the GREEN-HOUSE list, please to add the following.

Rosa Semperflorens, palida Odorata,	3s. 9d.
Rosa Indica Rubra,	3s. 9d.
Myrtle leaved Geranium,	2s. 6d.
Balm scented,	2s. 6d.
Pennyroyal or rash leaved,	2s. 6d.
Pyrus Japonica or scarlet flowering Ja-	} 7s. 6d.
pan Apple,	
Striped Rose Bay,	7s. 6d.
Starry Hydrangea,	2s.
Oak leaved do.	2s.
Hortensis do.	2s. 6d.
Frost Plant,	2s.
Nutmeg scented,	2s. 6d.
Balm scented,	2s. 6d.